



MADE IN AUSTRALIA

TWO-WAY SHUT-OFF COUPLINGS

For Liquids & Gases



Product Catalogue and Price List - OEM

Feb 2013



"At the forefront of manufacturing since 1930"

TURRET TWO-WAY SHUT-OFF COUPLINGS

Ball Lock Couplings

* Recommended Retail Price

Job No.:	Catalogue Name:	OEM Price	RRP*
----------	-----------------	-----------	------

Sockets for Gas

4066	with 6mm Inline Hose Tail		
4099	with 10mm Inline Hose Tail		
4509	with 12mm Inline Hose Tail		
4126	with 6mm & 10mm Inline Hose Tail		
4170	with 6mm & 10mm Offset Hose Tail		

Sockets for Liquids

4068	with 6mm Inline Hose Tail		
4299	with 10mm Inline Hose Tail		
4080	with 12mm Inline Hose Tail		
4128	with 6mm & 10mm Inline Hose Tail		
4397	with 6mm & 10mm Offset Hose Tail		



Turret Ball-Lock Liquid Socket with 6mm Inline Hose Tail.

Specialised Sockets for Liquid and Gas

13250	Socket for Gas with 10mm Inline Hose Tail - Full Stainless Steel		
13682	Socket for Gas with 6mm Inline Hose Tail - Full Stainless Steel		
12117**	Socket for Gas with M8 hose connection adaptor		
**	Socket for Gas with M10 hose connection adaptor		
13200	Socket for Gas with 1/8" NPT hose connection adaptor		
	Socket for Liquid with 1/8" NPT hose connection adaptor		
13970	Socket for Gas with 1/8" BSP hose connection adaptor		
13971	Socket for Liquid with 1/8" BSP hose connection adaptor		



Turret Ball-Lock Gas Socket with 6mm/10mm offset Hose Tail.

** Min Order Qty applies

Bayonet Lock Couplings

* Recommended Retail Price

Job No.:	Catalogue Name:	OEM Price	RRP*
----------	-----------------	-----------	------

Sockets for Gas – 2 pin

2140	with 6mm Inline Hose Tail		
2139	with 10mm Inline Hose Tail		
2144	with 12mm Inline Hose Tail		
2210	with 6mm & 10mm Offset Hose Tail		

Sockets for Liquids – 3 pin

2141	with 6mm Inline Hose Tail		
2179	with 10mm Inline Hose Tail		
2145	with 12mm Inline Hose Tail		
2191	with 6mm & 10mm Offset Hose Tail		



Turret Bayonet Gas Socket with 6mm Inline Hose Tail.

Specialised Fittings

13468**	TAIL PIECE, 6mm with 1/2" BSP (Female)		
13469**	TAIL PIECE, 10mm with 1/2" BSP (Female)		

** Min Order Qty applies



Tail piece with 1/2" BSP (female) with 10mm Hose Tail.

Pressure Relief Valves

6494	Pressure Relief Valve (650kPa / 95Psi)		
------	--	--	--



Pressure Relief Valve

PLEASE NOTE:

- ALL FITTINGS CAN BE SUPPLIED IN FULL STAINLESS STEEL (P.O.A)
- VARIOUS COMBINATIONS OF FITTINGS ARE POSSIBLE
- IF A PART YOU REQUIRE IS NOT LISTED ABOVE, RR TAYLOR WILL BE HAPPY TO DISCUSS YOUR NEEDS WITH YOU

LEGEND:

All Sockets:

Gas = White Band

Liquid = Black Band

Ball-Lock Plugs:

Gas: = Grooved

Liquid: = No Groove

Bayonet Plugs:

Gas: = 2 Pin

Liquid: = 3 Pin

Plugs to suit Ball Lock and Bayonet Couplings

*Recommended Retail Price

Job No.:	Catalogue Name:	OEM Price	RRP*
----------	-----------------	-----------	------

Ball Lock Plugs for Gas

4062	with 1/2" BSP Thread (Mytton, Rheem)		
4082	with 9/16" UNF Thread (Firestone & Spartanburg)		
4162	with 0.594" UNF Thread (Cornelius)		
13482	with 5/8" BSP Thread (female)		
13609	with 1/2" BSP Thread (female)		



Turret Ball lock for Liquid with 9/16" UNF thread (female).

Ball Lock Plugs for Liquid

4064	with 1/2" BSP Thread (Mytton, Rheem)		
4083	with 9/16" UNF Thread (Firestone & Spartanburg)		
4164	with 0.594" UNF Thread (Cornelius)		
13483	with 5/8" BSP Thread (female)		
13620	with 1/2" BSP Thread (female)		

Bayonet Plugs for Gas – 2 pin

2142	with 1/2" BSP Thread (Mytton, Rheem)		
4262	with 9/16" UNF Thread (Firestone & Spartanburg)		
5236	with 0.594" UNF Thread (Cornelius)		
2242	with 2 Grooves (Challenge V)		
3242	with 4 Grooves (Model F)		



Turret Bayonet plug for Liquid with 1/2" BSP thread (male).

Bayonet Plugs for Liquid – 3 pin

2143	with 1/2" BSP Thread (Mytton, Rheem)		
4264	with 9/16" UNF Thread (Firestone & Spartanburg)		
5238	with 0.594" UNF Thread (Cornelius)		
2243	with 3 Grooves (Challenge V)		
3243	with 4 Grooves (Model F)		

Service Kits

*Recommended Retail Price

Job No.:	Catalogue Name:	OEM Price	RRP*
11050	Seal Kit for Ball Lock Sockets (Socket Seal, Valve Seal, Circlip)		
11053	Service Kit for Ball Lock Plug 1/2" BSP (Valve Seal, 'O' Ring, Circlip, Tank washer Seal)		
11263	Service Kit for Ball Lock Plug UNF (Valve Seal, 'O' Ring, Circlip, Tank washer Seal)		
11051	Seal Kit for Bayonet Lock Sockets (Socket Seal, Valve Seal)		
11054	Service Kit for Bayonet Lock Plug 1/2" BSP (Valve Seal, 'O' Ring, Circlip, Tank washer Seal)		
11262	Service Kit for Bayonet Lock Plug UNF (Valve Seal, 'O' Ring, Circlip, Tank washer Seal)		

Spare Parts For Sockets & Plugs

*Recommended Retail Price

Job No.:	Catalogue Name:	OEM Price	RRP*
13440	O'Ring for Ball Lock Plugs – pack of 20		
13441	O'Ring for Bayonet Plugs – pack of 20		
13442	Socket Valve – pack of 5		
13443	Backing Sleeve – pack of 10		
13444	Plug Valve – pack of 5		
13445	Six Hole Washer –pack of 10		
13446	Valve Spring – pack of 10		
13447	Valve Seal – pack of 10		
13448	Sleeve - White Plastic – pack of 5		
13449	Sleeve - Black Plastic – pack of 5		
13618	Tank Washer Seal (1/2" BSP Plugs) –pack of 10		
13619	Tank Washer Seal (Non BSP Plugs) –pack of 10		
2961	6mm Hose Tail		
2962	10mm Hose Tail		
4508	12mm Hose Tail		

PLEASE REFER TO 'ASSEMBLY DETAILS' (SEPARATE DOCUMENT) FOR PART CLARIFICATION.

Turret Two-Way Shut-Off Couplings are suitable for use with liquids and gases such as beverages, CO² and compressed air.

Typical applications are:

- Connecting bulk beverage containers (soft drinks, wines, beers, etc.) to pressurised dispensing systems.
- General purpose connection of liquid and gas lines to central supply systems, such as air tools to compressed air lines.

When used for dispensing beverages, the connection for the pressurising gas (inlet) is made using the 'gas' coupling. The outlet is connected using the 'liquid' couplings. By design, incorrect (cross) coupling is not possible. The socket couplings have colour coding for ease of identification – black for liquids, whites for gases.

No Spillage

All Turret are two-way shut-off couplings designed to ensure there is no spillage (leakage) in the process of coupling and uncoupling.

Coupling Systems

The couplings are offered in two styles of easy engaging systems, ball locking or bayonet locking.

Mounting

Turret Plugs are available to fit tanks with ½" BSP (male), 0.594" UNF (female) and 9/16" UNF (female) threads types to suit Rheem, Mytton Rod, Cornelius, Firestone and Spartanburg kegs and fittings.

Australian Designed and Made

All couplings are designed and manufactured in Australia by RR Taylor Pty Ltd. Comprehensive spares and service facilities are available from the manufacturer to ensure all couplings provide years of reliable service.

Product Modification

RR Taylor Pty Ltd is only too willing to assist in the design and/or modification of its products to suit particular end user requirements. Please ask our sales staff for information.

For further information please contact the manufacturer:

RR Taylor Pty Ltd

Telephone: +61 2 4340 2171

Facsimile: +61 2 4340 5121

Email: sales@rrtaylor.com.au

Terms & Conditions of Trade

General: The Standard Terms & Conditions of Trade of RR Taylor Pty Ltd apply. Please request a copy if required.

Prices: All prices quoted are exclusive of GST, ex our works and subject to change without notice.

Payment: Unless otherwise agreed with RR Taylor Pty Ltd full payment is required prior to dispatch.

Delivery: Delivery charges will be to the customer's account. Unless stipulated at the time of ordering, transport will be as arranged by RR Taylor Pty Ltd.

Re-Stocking: A re-stocking fee of 30% of the original invoiced value applies to any goods accepted for re-stocking. RR Taylor Pty Ltd reserves the right to not accept re-stocking.

Product Specifications: Product specifications may change without notice.

Minimum Order Value: Orders with a net value of less than \$ 500.00 will attract a packing and handling charge of \$25.00.