

May 5th 2004

# Nissan improves safety, styling and functionality of the sporty Navara ST-R

NISSAN'S market leading 4x4 sports pick-up, the Navara ST-R, has received a significant update with new features designed to improve styling, handling and safety.

On sale in May, the updated Navara ST-R will come with chrome power mirrors, revised interior colours, including new black seat trim, revised suspension and wider 265/70R16 all-terrain tyres.

Nissan has also fitted a standard driver's side airbag and front seatbelt pretensioners to the Navara ST-R. An optional passenger's side airbag is also available for \$450.

The changes are available on both the petrol and diesel variants, which are equipped with either a 125kW 3.3-litre V6 or a 110kW ZD30 3.0-litre turbo diesel engine respectively.

The ZD30 diesel is Nissan's most popular Navara variant, thanks to its effortless performance, refinement and economy.



NISSAN AUSTRALIA A.B.N. 54 004 663 156

The Public Affairs Dept. Nissan Australia 260-284 Frankston Rd. (Locked Bag 1450) Dandenong South 3164

> Tel: (03) 9797 4111 Fax: (03) 9797 4220



Both engines are available with a five-speed manual transmission on the 4x4 models.

The Navara 4x2 range offers two models, the DX single and dual cabs. Both come with a 2.4-litre DOHC four-cylinder engine and are available with either a five-speed manual or four-speed automatic.

Prices start at \$19,990 for the DX single cab and \$25,490 for the DX dual cab. For \$2000 extra both models get an optional automatic transmission.

The Navara 4x4 range includes one single cab model, the DX 3.0-litre turbo-diesel, which comes with a five-speed manual transmission. Pricing starts at \$33,340.

Both DX and ST-R variants are available in the 4x4 dual cab range with the choice of either diesel or petrol engine. The DX 3.3-litre petrol is priced from \$36,340 and the DX 3.0-litre diesel is priced from \$38,840.

Pricing of the updated Navara ST-R models has increased by just \$500, with the Navara ST-R 3.3-litre petrol now starting at \$40,990 and the ST-R 3.0-litre turbo-diesel starting at \$43,490.

Since its launch in 2002, the Navara ST-R has been a runaway success for Nissan. The ST-R accounts for over 60 per cent of total Navara sales and at the end of calendar year 2003 total sales were 40 per cent up on the same period in 2002.

Nissan Australia's commercial vehicle product manager, Andrew Dimsey, said the revisions to the Navara ST-R will be well received as many of the changes were requested by customers.

"ST-R is the best selling model in the Navara range and the additional features and modifications should prove very popular with our customers."

All prices quoted are recommend retail pricing and do not include dealer delivery and onroad costs.



## **Specifications Navara 4x2**

	4x2 DX Single Cab/Chassis	4x2 DX Dual Cab Ute	
Faring	O A Datural	0.4 Patrial	
Engine	2.4 Petrol	2.4 Petrol	
4 cyl DOHC	✓	✓	
Displacement (cc)	2389	2389	
Bore x stroke (mm)	89 x 96	89 x 96	
Compression ratio	9.2:1	9.2:1	
Max power (kW @ rpm)	110@5600	110@5600	
Max torque (Nm @ rpm)	208@3600	208@3600	
Fuel system	ECCS	ECCS	
Fuel tank capacity - litres	75	75	
Alternator capacity (amps)	70	70	
Transmission			
Ratio 1st manual	3.592	3.592	
Ratio 2nd manual	2.246	2.246	
Ratio 3rd manual	1.4151.	1.415	
Ratio 4th manual	1.000	1.000	
Ratio 5th manual	0.821	0.821	
Ratio reverse manual	3.657	3.657	
Final drive ratio manual	4.111	4.111	
Ratio 1st auto	2.785	2.785	
Ratio 2nd auto	1.545	1.545	
Ratio 3rd auto	1.000	1.000	
Ratio 4th auto	0.694	0.694	
Ratio reverse auto	2.272	2.272	
Final drive ratio auto	4.375	4.375	
Wheels/Tyres			
Wheels	5J x 14	5J x 14	
Tyres	195R14	195R14	



	4x2 DX Single Cab/Chassis	4x2 DX Dual Cab Ute		
Weights				
Tare mass (kg) man/auto	1235/1265	1420/1490		
GVM (kg)	2730	2730		
Carrying capacity (kg) man/auto	1495/1465	1310/1240		
Carrying capacity (kg) man/auto	1499/1409	1310/1240		
Rated towing capacity				
Trailer with brakes (kg)	1500	1500		
Trailer without brakes (kg)	750	750		
Gross - front axle (kg)	1100	1100		
Gross - rear axle (kg)	1800	1800		
Dimensions				
Overall length (mm) **	4795	4920		
Overall width (mm)	1690	1690		
Overall height (mm)	1615	1625		
Wheel base (mm)	2950	2950		
Load space - length (mm)	_	1395		
Load space - width (mm)	-	1465		
Load space - height (mm)	_	430		
Front track (mm)	1395	1395		
Rear track (mm)	1390	1390		
Turning circle (m)	11.2	11.2		
Ground clearance (mm)	180	190		
Suspension/Steering Front - double wishbone				
with stabiliser bar	✓	✓		
Rear - leaf spring	✓	✓		
Power steering	✓	<b>√</b>		
Brakes				
Front - ventilated discs	✓	✓		
Rear - drum	✓	✓		
Safety				
Driver and passenger SRS airbag	_	_		
Energy absorbing steering column	<b>√</b>	✓		

Speedometer/trip meter



	4x2 DX Single Cab/Chassis	4x2 DX Dual Cab Ute	
Retractable seat belts	<b>/</b>	✓	
Side intrusion beams	<b>V</b> ✓	<b>→</b>	
Flame retardant interior trim	✓		
Fuel tank rollover valve	<b>√</b>		
Laminated windscreen	✓		
Load sensing valve	<b>V</b> ✓		
Hazard warning lights	<b>∨</b>		
Rear demister			
Day/night rear view mirror			
Day/flight feat view fillifor	•	•	
Exterior			
Halogen headlights	✓	✓	
Front bumper	Black	Black	
Overfender flares	✓	✓	
Door mirrors	✓	✓	
Front mudflaps	-	✓	
Rear mudflaps	✓	✓	
2 speed/intermittent windscreen wipers	✓	✓	
Front towing hooks	✓	✓	
Retractable antenna	✓	✓	
Interior			
Air conditioning	Opt	Opt	
Seating capacity	3	5	
Interior seat trim	Cloth	Cloth	
Front seats	Bench	Bucket	
Folding rear bench seat	-	<b>✓</b>	
Height adjustable front headrests	-	✓	
4 spoke steering wheel	✓	✓	
Tilt adjustable steering column	Auto only	✓	
Glovebox	✓	✓	
Dash storage compartment with lid	✓	✓	
Cigarette lighter	✓	<b>✓</b>	
Ashtray	2	4	
Lockable fuel lid	✓	✓	
CD tuner with 2 speakers	✓	✓	
Spandamatar/trip matar		,	



	4x2 DX Single Cab/Chassis	4x2 DX Dual Cab Ute
Fuel/water temp gauges	✓	✓
Low fuel warning lamp	✓	✓
Digital clock	✓	✓
Passenger assist grip	✓	✓
Tool kit	✓	✓
Courtesy light	✓	✓
Floor trim	Vinyl	Vinyl
Front door pockets	✓	1
Colours		
Burning Red	✓	✓
Atlantic Blue	✓	✓
Platinum	✓	✓
Polar White	1	✓
Warranty		
3 year/100,000kms	✓	✓
3 year 24 hour roadside assistance	<b>√</b>	✓

<sup>\*\*</sup> Guide only excludes tray

Wheels

Tyres



## **Specifications Navara 4x4**

6J x 16

205R16C

	4x4 DX Single Cab/Chas ZD30 Diesel	4x4 DX Dual Cab Ute VG33 Petrol	4x4 ST-R Dual Cab Ute VG33 Petrol	4x4 DX Dual Cab Ute ZD30 Diesel	4x4 ST-R Dual Cab Ute ZD30 Diesel
Engine					
Engine Type	4 cyl DOHC	V6 SOHC	V6 SOHC	4 cyl DOHC	4 cyl DOHC
Displacement (cc)	2953	3275	3275	2953	2953
Bore x stroke (mm)	96 x 102	91.5 x 83	91.5 x 83	96 x 102	96 x 102
Compression ratio	17.9:1	9.0:1	9.0:1	17.9:1	17.9:1
Max power (kW @ rpm)	110@3400	125@4800	125@4800	110@3400	110@3400
Max torque (Nm @ rpm)	314@2000	266@4000	266@4000	314@2000	314@2000
Fuel system	Direct injection Diesel	ECCS	ECCS	Direct injection Diesel	Direct injection Diesel
Fuel tank capacity - litres	75	75	75	75	75
Alternator capacity - amps	70	70	70	70	70
Transmission Ratio 1st manual		4 004			
Mailo 15t Illallual	3.580	4.061	4.061	3.580	3.580
Ratio 2nd manual	3.580 2.077	2.357	4.061 2.357	2.077	3.580 2.077
Ratio 2nd manual	2.077	2.357	2.357	2.077	2.077
Ratio 2nd manual Ratio 3rd manual	2.077	2.357	2.357	2.077	2.077
Ratio 2nd manual Ratio 3rd manual Ratio 4th manual	2.077 1.360 1.000	2.357 1.490 1.000	2.357 1.490 1.000	2.077 1.360 1.000	2.077 1.360 1.000
Ratio 2nd manual Ratio 3rd manual Ratio 4th manual Ratio 5th manual	2.077 1.360 1.000 0.760	2.357 1.490 1.000 0.862	2.357 1.490 1.000 0.862	2.077 1.360 1.000 0.760	2.077 1.360 1.000 0.760
Ratio 2nd manual Ratio 3rd manual Ratio 4th manual Ratio 5th manual Ratio reverse manual	2.077 1.360 1.000 0.760 3.636	2.357 1.490 1.000 0.862 4.125	2.357 1.490 1.000 0.862 4.125	2.077 1.360 1.000 0.760 3.636	2.077 1.360 1.000 0.760 3.636
Ratio 2nd manual Ratio 3rd manual Ratio 4th manual Ratio 5th manual Ratio reverse manual Final drive ratio manual	2.077 1.360 1.000 0.760 3.636 4.375	2.357 1.490 1.000 0.862 4.125 4.375	2.357 1.490 1.000 0.862 4.125 4.375	2.077 1.360 1.000 0.760 3.636 4.375	2.077 1.360 1.000 0.760 3.636 4.375
Ratio 2nd manual Ratio 3rd manual Ratio 4th manual Ratio 5th manual Ratio reverse manual Final drive ratio manual Transfer ratio - high	2.077 1.360 1.000 0.760 3.636 4.375 1:1	2.357 1.490 1.000 0.862 4.125 4.375 1:1	2.357 1.490 1.000 0.862 4.125 4.375 1:1	2.077 1.360 1.000 0.760 3.636 4.375 1:1	2.077 1.360 1.000 0.760 3.636 4.375 1:1

6J x 16

205R16C

7JJ x 16 Alloy

265/70R16

7JJ x 16 Alloy

265/70R16

6J x 16

205R16



	4x4 DX Single Cab/Chas ZD30 Diesel	4x4 DX Dual Cab Ute VG33 Petrol	4x4 ST-R Dual Cab Ute VG33 Petrol	4x4 DX Dual Cab Ute ZD30 Diesel	4x4 ST-R Dual Cab Ute ZD30 Diesel
Walaka					
Weights	1005	1705	1005	1050	1005
Tare mass (kg) man/auto	1635	1785	1825	1850	1895
GVM (kg)	2920	2850	2850	2920	2920
Carrying capacity (kg) man/a	auto 1285	1070	1025	1070	1025
Rated towing capacity					
Trailer with brakes (kg)	2800	2000	2000	3000	3000
Trailer without brakes (kg)	750	750	750	750	750
Gross - front axle (kg)	1380	1300	1300	1380	1380
Gross - rear axle (kg)	1800	1800	1800	1800	1800
Dimensions					
Overall length (mm) **	4795	4945	5080	4945	5080
Overall width (mm)	1825	1825	1825	1825	1825
Overall height (mm)	1695	1710	1715	1700	1700
Wheel base (mm)	2950	2950	2950	2950	2950
Load space - length (mm)		1395	1395	1395	1395
Load space - width (mm)	_	1390	1390	1390	1390
Load space - height (mm)	_	435	435	435	435
Front track (mm)	1525	1525	1545	1525	1525
Rear track (mm)	1505	1505	1525	1505	1505
Turning circle (m)	12.0	12.0	12.0	12.0	12.0
Ground clearance (mm)	215	210	210	215	215
Suspension/Steering					
Front - double wishbone with stabiliser bar	✓	✓	✓	✓	✓
Rear - leaf spring	✓	✓	<b>√</b>	<b>√</b>	<b>√</b>
Power steering	✓	1	✓	✓	✓
Brakes					
Front - ventilated discs	✓	✓	/	/	✓
Rear - drum					
- Grant	•		<b>-</b>	<del>_</del>	▼



s	4x4 DX Single Cab/Chas ZD30 Diesel	4x4 DX Dual Cab Ute VG33 Petrol	4x4 ST-R Dual Cab Ute VG33 Petrol	4x4 DX Dual Cab Ute ZD30 Diesel	4x4 ST-R Dual Cab Ute ZD30 Diesel
Safety					
Driver SRS airbag	_	_	✓	_	✓
Passenger SRS airbag	-	_	Opt	_	Opt
Driver & passenger SRS air	bag Opt	Opt	_	Opt	_
Energy absorbing steering co	olumn 🗸	<b>√</b>	<b>√</b>	<b>√</b>	✓
Retractable seat belts	✓	<b>√</b>	✓	✓	✓
Side intrusion beams	✓	<b>√</b>	✓	<b>√</b>	✓
Flame retardant interior trim	✓	<b>√</b>	✓	✓	✓
Fuel tank rollover valve	✓	<b>√</b>	✓	✓	✓
Laminated windscreen	✓	✓	✓	✓	✓
Load sensing valve	✓	/	✓	<b>√</b>	✓
Hazard warning lights	✓	1	✓	1	✓
Rear demister	-	-	✓	<b>√</b>	✓
Day/night rear view mirror	✓	✓	✓	✓	✓
Exterior Alloy wheels (steel spare wheels)	neel) –	-	✓	-	✓
Alloy sports bar	-	_	✓	_	✓
Alloy side steps	-	_	✓	_	✓
Halogen headlights	✓	✓	✓	✓	✓
Front bumper	Black	Black	Colour	Black	Colour
Overfender flares	Black	Black	Colour	Black	Colour
Door mirrors	✓	✓	✓	✓	✓
Front mudflaps	✓	✓	✓	✓	✓
Rear mudflaps	_	✓	✓	✓	✓
2 speed/intermittent windscreen wipers	✓	✓	1	<b>√</b>	✓
Rear step bumper - chrome	e –	_	✓	_	✓
Front towing hooks	✓	✓	✓	✓	✓
Retractable antenna	✓	✓	✓	✓	✓
Chrome grille	-	-	✓	-	✓
Interior					
Air conditioning	Opt	Opt	✓	Opt	✓
Seating capacity	3	3	5	5	5
Interior seat trim	Cloth	Cloth	Moquette	Cloth	Moquette
Front seats	Bench	Bench	Bucket	Bucket	Bucket



Si	4x4 DX Ingle Cab/Chas ZD30 Diesel	4x4 DX Dual Cab Ute VG33 Petrol	4x4 ST-R Dual Cab Ute VG33 Petrol	4x4 DX Dual Cab Ute ZD30 Diesel	4x4 ST-R Dual Cab Ute ZD30 Diesel
- I		,	,		,
Folding rear bench seat		<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
Height adjustable front head	rests -	✓	<b>√</b>	<b>√</b>	<b>✓</b>
Power windows	_	_	✓	_	✓
Central locking	_	_	✓	_	✓
4 spoke steering wheel	✓	✓	✓	✓	✓
Tilt adjustable steering colum	nn 🗸	✓	✓	✓	✓
Glovebox	✓	✓	✓	✓	✓
Dash storage compartment wi	ith lid 🗸	✓	✓	✓	✓
Cigarette lighter	✓	✓	✓	✓	✓
Ashtray	2	3	4	3	4
Lockable fuel lid	✓	✓	✓	✓	✓
CD tuner with 2 speakers	✓	✓	✓	✓	✓
Centre console	-	✓	✓	✓	✓
Speedometer/trip meter	✓	✓	✓	✓	✓
Fuel/water temp gauges	✓	✓	✓	✓	✓
Low fuel warning lamp	✓	✓	✓	✓	✓
Glow indicator lamp	✓	-	-	✓	✓
4WD indicator lamp	✓	✓	1	1	✓
Warranty					
3 year/100,000kms	✓	✓	✓	✓	✓
3 year 24 hour roadside assistance	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	✓

<sup>\*\*</sup> Guide only excludes tray